
NAME

SimilaritySearchingFingerprints.pl - Perform similarity search using fingerprints strings data in SD, FP and CSV/TSV text file(s)

SYNOPSIS

SimilaritySearchingFingerprints.pl ReferenceFPFile DatabaseFPFile

```
SimilaritySearchingFingerprints.pl [--alpha number] [--beta number] [-b, --BitVectorComparisonMode
TanimotoSimilarity | TverskySimilarity | ...] [--DatabaseColMode ColNum | ColLabel] [--DatabaseCompoundID Col
col number | col name] [--DatabaseCompoundID DPrefix text] [--DatabaseCompoundID DField DataFieldName] [
--DatabaseCompoundID DMode DataField | MolName | LabelPrefix | MolNameOrLabelPrefix] [--DatabaseDataCols
"DataColNum1, DataColNum2,... " | DataColLabel1, DataColLabel2,... "] [--DatabaseDataColsMode All | Specify |
CompoundID] [--DatabaseDataFields "FieldLabel1, FieldLabel2,... "] [--DatabaseDataFieldsMode All | Common |
Specify | CompoundID] [--DatabaseFingerprintsCol col number | col name] [--DatabaseFingerprintsField
FieldLabel] []--DistanceCutoff number] [-d, --detail InfoLevel] [-f, --fast] [--FingerprintsMode AutoDetect |
FingerprintsBitVectorString | FingerprintsVectorString] [-g, --GroupFusionRule Max, Mean, Median, Min, Sum, Euclidean
] [--GroupFusionApplyCutoff Yes | No] [-h, --help] [--InDelim comma | semicolon] [-k, --KNN all | number] [
-m, --mode IndividualReference | MultipleReferences] [-n, --NumOfSimilarMolecules number] [--OutDelim
comma | tab | semicolon] [--output SD | text | both] [-o, --overwrite] [-p, --PercentSimilarMolecules number] [
--precision number] [-q, --quote Yes | No] [--ReferenceColMode ColNum | ColLabel] [
--ReferenceCompoundID DCol col number | col name] [--ReferenceCompoundID DPrefix text] [
--ReferenceCompoundID DField DataFieldName] [--ReferenceCompoundID DMode DataField | MolName |
LabelPrefix | MolNameOrLabelPrefix] [--ReferenceFingerprintsCol col number | col name] [
--ReferenceFingerprintsField FieldLabel] [-r, --root RootName] [-s, --SearchMode SimilaritySearch |
DissimilaritySearch] [--SimilarCountMode NumOfSimilar | PercentSimilar] [--SimilarityCutoff number] [-v,
--VectorComparisonMode TanimotoSimilairy | ... | ManhattanDistance | ...] [--VectorComparisonFormulism
AlgebraicForm | BinaryForm | SetTheoreticForm] [-w, --WorkingDir dirname] ReferenceFingerprintsFile
DatabaseFingerprintsFile
```

DESCRIPTION

Perform molecular similarity search [Ref 94-113] using fingerprint bit-vector or vector strings data in *SD*, *FP*, or *CSV/TSV* text files corresponding to *ReferenceFingerprintsFile* and *DatabaseFingerprintsFile*, and generate *SD* and *CSV/TSV* text file(s) containing database molecules which are similar to reference molecule(s). The reference molecules are also referred to as query or seed molecules and database molecules as target molecules in the literature.

The current release of MayaChemTools supports two types of similarity search modes: *IndividualReference* or *MultipleReferences*. For default value of *MultipleReferences* for -m, --mode option, reference molecules are considered as a set and -g, --GroupFusionRule is used to calculate similarity of a database molecule against reference molecules set. The group fusion rule is also referred to as data fusion or consensus scoring in the literature. However, for *IndividualReference* value of -m, --mode option, reference molecules are treated as individual molecules and each reference molecule is compared against a database molecule by itself to identify similar molecules.

The molecular dissimilarity search can also be performed using *DissimilaritySearch* value for -s, --SearchMode option. During dissimilarity search or usage of distance comparison coefficient in similarity similarity search, the meaning of fingerprints comparison value is automatically reversed as shown below:

SearchMode	ComparisonCoefficient	ResultsSort	ComparisonValues
Similarity	SimilarityCoefficient	Descending	Higher value implies high similarity
Similarity	DistanceCoefficient	Ascending	Lower value implies high similarity
Dissimilarity	SimilarityCoefficient	Ascending	Lower value implies high dissimilarity
Dissimilarity	DistanceCoefficient	Descending	Higher value implies high dissimilarity

During *IndividualReference* value of -m, --Mode option for similarity search, fingerprints bit-vector or vector string of each reference molecule is compared with database molecules using specified similarity or distance coefficients to identify most similar molecules for each reference molecule. Based on value of --SimilarCountMode, up to --n, --NumOfSimilarMolecules or -p, --PercentSimilarMolecules at specified --SimilarityCutoff or --DistanceCutoff are identified for each reference molecule.

During *MultipleReferences* value -m, --mode option for similarity search, all reference molecules are considered

as a set and -g, --GroupFusionRule is used to calculate similarity of a database molecule against reference molecules set either using all reference molecules or number of k-nearest neighbors (k-NN) to a database molecule specified using -k, --kNN. The fingerprints bit-vector or vector string of each reference molecule in a set is compared with a database molecule using a similarity or distance coefficient specified via -b, --BitVectorComparisonMode or -v, --VectorComparisonMode. The reference molecules whose comparison values with a database molecule fall outside specified --SimilarityCutoff or --DistanceCutoff are ignored during Yes value of --GroupFusionApplyCutoff. The specified -g, --GroupFusionRule is applied to -k, --kNN reference molecules to calculate final similarity value between a database molecule and reference molecules set.

The input fingerprints *SD*, *FP*, or *Text* (CSV/TSV) files for *ReferenceFingerprintsFile* and *DatabaseTextFile* must contain valid fingerprint bit-vector or vector strings data corresponding to same type of fingerprints.

The valid fingerprints *SDFFile* extensions are *.sdf* and *.sd*. The valid fingerprints *FPFile* extensions are *.fpf* and *.fp*. The valid fingerprints *TextFile* (CSV/TSV) extensions are *.csv* and *.tsv* for comma/semicolon and tab delimited text files respectively. The --indelim option determines the format of *TextFile*. Any file which doesn't correspond to the format indicated by --indelim option is ignored.

Example of *FP* file containing fingerprints bit-vector string data:

```
#  
# Package = MayaChemTools 7.4  
# ReleaseDate = Oct 21, 2010  
#  
# TimeStamp = Mon Mar 7 15:14:01 2011  
#  
# FingerprintsStringType = FingerprintsBitVector  
#  
# Description = PathLengthBits:AtomicInvariantsAtomTypes:MinLength1:...  
# Size = 1024  
# BitStringFormat = HexadecimalString  
# BitsOrder = Ascending  
#  
Cmpd1 9c8460989ec8a49913991a6603130b0a19e8051c89184414953800cc21510...  
Cmpd2 000000249400840040100042011001001980410c000000001010088001120...  
....  
....
```

Example of *FP* file containing fingerprints vector string data:

```
#  
# Package = MayaChemTools 7.4  
# ReleaseDate = Oct 21, 2010  
#  
# TimeStamp = Mon Mar 7 15:14:01 2011  
#  
# FingerprintsStringType = FingerprintsVector  
#  
# Description = PathLengthBits:AtomicInvariantsAtomTypes:MinLength1:...  
# VectorStringFormat = IDsAndValuesString  
# VectorValuesType = NumericalValues  
#  
Cmpd1 338;C F N O C:C C:N C=O CC CF CN CO C:C:C C:C:N C:CC C:CF C:CN C:  
N:C C:NC CC:N CC=O CCC CCN CCO CNC NC=O O=CO C:C:C:C C:C:C:N C:C:CC...;  
33 1 2 5 21 2 2 12 1 3 3 20 2 10 2 2 1 2 2 2 8 2 5 1 1 1 19 2 8 2 2 2 2  
6 2 2 2 2 2 2 3 2 2 1 4 1 5 1 1 18 6 2 2 1 2 10 2 1 2 1 2 2 2 2 ...  
Cmpd2 103;C N O C=N C=O CC CN CO CC=O CCC CCN CCO CNC N=CN NC=O NCN O=C  
O C CC=O CCCC CCCN CCCO CCNC CNC=N CNC=O CNCN CCCC=O CCCCC CCCCN CC...;  
15 4 4 1 2 13 5 2 2 15 5 3 2 2 1 1 1 2 17 7 6 5 1 1 1 2 15 8 5 7 2 2 2 2  
1 2 1 1 3 15 7 6 8 3 4 4 3 2 2 1 2 3 14 2 4 7 4 4 4 4 1 1 1 2 1 1 1 ...  
....  
....
```

Example of *SD* file containing fingerprints bit-vector string data:

```
....  
....  
$$$$  
....
```

```

.... .
.... .
41 44 0 0 0 0 0 0 0 0999 V2000
-3.3652 1.4499 0.0000 C 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
.... .
2 3 1 0 0 0 0
.... .
M END
> <CmpdID>
Cmpd1

> <PathLengthFingerprints>
FingerprintsBitVector;PathLengthBits:AtomicInvariantsAtomTypes:MinLengt
h1:MaxLength8;1024;HexadecimalString;Ascending;9c8460989ec8a49913991a66
03130b0a19e8051c89184414953800cc2151082844a201042800130860308e8204d4028
00831048940e44281c00060449a5000ac80c894114e006321264401600846c050164462
08190410805000304a10205b0100e04c0038ba0fad02090ca8b1200012268b61c0026a
aa0660a11014a011d46

$$$$
.... .
.... .

```

Example of CSV *TextFile* containing fingerprints bit-vector string data:

```

"CompoundID", "PathLengthFingerprints"
"Cmpd1", "FingerprintsBitVector;PathLengthBits:AtomicInvariantsAtomTypes
:MinLength1:MaxLength8;1024;HexadecimalString;Ascending;9c8460989ec8a4
9913991a6603130b0a19e8051c89184414953800cc2151082844a20104280013086030
8e8204d402800831048940e44281c00060449a5000ac80c894114e006321264401...
.... .
.... .

```

The current release of MayaChemTools supports the following types of fingerprint bit-vector and vector strings:

```

FingerprintsVector;AtomNeighborhoods:AtomicInvariantsAtomTypes:MinRadi
us0:MaxRadius2;41;AlphaNumericalValues;ValuesString;NR0-C.X1.B01.H3-AT
C1:NR1-C.X3.B03.H1-ATC1:NR2-C.X1.B01.H3-ATC1:NR2-C.X3.B04-ATC1 NR0-C.X
1.B01.H3-ATC1:NR1-C.X3.B03.H1-ATC1:NR2-C.X1.B01.H3-ATC1:NR2-C.X3.B04-A
TC1 NR0-C.X2.B02.H2-ATC1:NR1-C.X2.B02.H2-ATC1:NR1-C.X3.B03.H1-ATC1:NR2
-C.X2.B02.H2-ATC1:NR2-N.X3.B03-ATC1:NR2-O.X1.B01.H1-ATC1 NR0-C.X2.B...

```

```

FingerprintsVector;AtomTypesCount:AtomicInvariantsAtomTypes:ArbitraryS
ize;10;NumericalValues;IDsAndValuesString;C.X1.B01.H3 C.X2.B02.H2 C.X2
.B03.H1 C.X3.B03.H1 C.X3.B04 F.X1.B01 N.X2.B02.H1 N.X3.B03 O.X1.B01.H1
O.X1.B02;2 4 14 3 10 1 1 1 3 2

```

```

FingerprintsVector;AtomTypesCount:SLogPAtomTypes:ArbitrarySize;16;Nume
ricalValues;IDsAndValuesString;C1 C10 C11 C14 C18 C20 C21 C22 C5 CS F
N11 N4 O10 O2 O9;5 1 1 1 14 4 2 1 2 2 1 1 1 3 1

```

```

FingerprintsVector;AtomTypesCount:SLogPAtomTypes:FixedSize;67;OrderedN
umericalValues;IDsAndValuesString;C1 C2 C3 C4 C5 C6 C7 C8 C9 C10 C11 C
12 C13 C14 C15 C16 C17 C18 C19 C20 C21 C22 C23 C24 C25 C26 C27 CS N1 N
2 N3 N4 N5 N6 N7 N8 N9 N10 N11 N12 N13 N14 NS O1 O2 O3 O4 O5 O6 O7 O8
O9 O10 O11 O12 OS F Cl Br I Hal P S1 S2 S3 Mel Me2;5 0 0 0 2 0 0 0 1
1 0 0 1 0 0 0 14 0 4 2 1 0 0 0 0 2 0 0 0 1 0 0 0 0 0 1 0 0 0 ...

```

```

FingerprintsVector;EStateIndices:ArbitrarySize;11;NumericalValues;IDs
AndValuesString;SaaCH SaasC SaasN SdO SdssC SsCH3 SsF SsOH SssCH2 SssN
H SsssCH;24.778 4.387 1.993 25.023 -1.435 3.975 14.006 29.759 -0.073 3
.024 -2.270

```

```

FingerprintsVector;EStateIndices:FixedSize;87;OrderedNumericalValues;
ValuesString;0 0 0 0 0 0 3.975 0 -0.073 0 0 24.778 -2.270 0 0 -1.435

```

```
FingerprintsVector;ExtendedConnectivity;AtomicInvariantsAtomTypes:Radius2;60;AlphaNumericalValues;ValuesString;73555770 333564680 352413391  
666191900 1001270906 1371674323 1481469939 1977749791 2006158649 21414  
08799 49532520 64643108 79385615 96062769 273726379 564565671 85514103  
5 906706094 988546669 1018231313 1032696425 1197507444 1331250018 1338  
532734 1455473691 1607485225 1609687129 1631614296 1670251330 17303...
```

```

FingerprintsVector;ExtendedConnectivityCount:AtomicInvariantsAtomTypes
:Radius2;60;NumericalValues;IDsAndValuesString;73555770 333564680 3524
13391 666191900 1001270906 1371674323 1481469939 1977749791 2006158649
2141408799 49532520 64643108 79385615 96062769 273726379 564565671...
3 2 1 1 14 1 2 10 4 3 1 1 1 1 2 1 2 1 1 1 2 3 1 1 2 1 3 3 8 2 2 2 6 2
1 2 1 1 2 1 1 1 2 1 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 2 1 1

```

```
FingerprintsVector;ExtendedConnectivity;FunctionalClassAtomTypes;Radius2;57;AlphaNumericalValues;ValuesString;24769214 508787397 850393286 8  
62102353 981185303 1231636850 1649386610 1941540674 263599683 32920567  
1 571109041 639579325 683993318 723853089 810600886 885767127 90326012  
7 958841485 981022393 1126908698 1152248391 1317567065 1421489994 1455  
632544 1557272891 1826413669 1983319256 2015750777 2029559552 20404...
```

```
FingerprintsVector;ExtendedConnectivity;EstateAtomTypes;Radius2;62;AlphaNumericalValues;ValuesString;25189973 528584866 662581668 671034184  
926543080 1347067490 1738510057 1759600920 2034425745 2097234755 21450  
44754 96779665 180364292 341712110 345278822 386540408 387387308 50430  
1706 617094135 771528807 957666640 997798220 1158349170 1291258082 134  
1138533 1395329837 1420277211 1479584608 1486476397 1487556246 1566....
```

```

FingerprintsBitVector;PathLengthBits:AtomicInvariantsAtomTypes:MinLeng
th1:MaxLength8;1024;BinaryString;Ascending;001000010011010101011000110
0100010101011000101001011100110001000010001001101000001001001001000
001011010000011100100100000100101010010000000011000000101001011100
001000000100010101010000010011110011011101101100000010110111001101
010110001100000001000100001100001010001110110000100000100010000000...

```

```

FingerprintsVector;PathLengthCount:AtomicInvariantsAtomTypes:MinLength
1:MaxLength8;432;NumericalValues;IDsAndValuesPairsString;C.X1.BO1.H3 2
C.X2.BO2.H2 4 C.X2.BO3.H1 14 C.X3.BO3.H1 3 C.X3.BO4 10 F.X1.BO1 1 N.X
2.BO2.H1 1 N.X3.BO3 1 O.X1.BO1.H1 3 O.X1.BO2 2 C.X1.BO1.H3C.X3.BO3.H1
2 C.X2.BO2.H2C.X2.BO2.H2 1 C.X2.BO2.H2C.X3.BO3.H1 4 C.X2.BO2.H2C.X3.BO
4 1 C.X2.BO2.H2N.X3.BO3 1 C.X2.BO3.H1:C.X2.BO3.H1 10 C.X2.BO3.H1:C....

```

```

FingerprintsVector;PathLengthCount:MMFF94AtomTypes:MinLength1:MaxLengt
h8;463;NumericalValues;IDsAndValuesPairsString;C5A 2 C5B 2 C=ON 1 CB 1
8 COO 1 CR 9 F 1 N5 1 NC=O 1 O=CN 1 O=CO 1 OC=O 1 OR 2 C5A:C5B 2 C5A:N
5 2 C5ACB 1 C5ACR 1 C5B:C5B 1 C5BC=ON 1 C5BCB 1 C=ON=O=CN 1 C=ONNC=O 1
CB:CB 18 CBF 1 CBNC=O 1 COO=O=CO 1 COOCR 1 COOOC=O 1 CRCR 7 CRN5 1 CR
OR 2 C5A:C5B:C5B 2 C5A:C5BC=ON 1 C5A:C5BCB 1 C5A:N5:C5A 1 C5A:N5CR ...

```

```

FingerprintsVector;TopologicalAtomPairs:AtomicInvariantsAtomTypes:MinD
istance1:MaxDistance10;223;NumericalValues;IDsAndValuesString;C.X1.BO1
.H3-D1-C.X3.BO3.H1 C.X2.BO2.H2-D1-C.X2.BO2.H2 C.X2.BO2.H2-D1-C.X3.BO3.
H1 C.X2.BO2.H2-D1-C.X3.BO4 C.X2.BO2.H2-D1-N.X3.BO3 C.X2.BO3.H1-D1-...
2 1 4 1 1 10 8 1 2 6 1 2 2 1 2 2 1 2 1 5 1 10 12 2 2 1 2 1 9 1 3 1
1 1 2 2 1 3 6 1 6 14 2 2 2 3 1 3 1 8 2 2 1 3 2 6 1 2 2 5 1 3 1 23 1...

```

```

FingerprintsVector;TopologicalAtomPairs:FunctionalClassAtomTypes:MinDi
stance1:MaxDistance10;144;NumericalValues;IDsAndValuesString;Ar-D1-Ar
Ar-D1-Ar.HBA Ar-D1-HBD Ar-D1-Hal Ar-D1-None Ar.HBA-D1-None HBA-D1-NI H
BA-D1-None HBA.HBD-D1-NI HBA.HBD-D1-None HBD-D1-None NI-D1-None No...
23 2 1 1 2 1 1 1 2 1 1 7 28 3 1 3 2 8 2 1 1 1 5 1 5 1 5 24 3 3 4 2 13 4
1 1 4 1 5 22 4 4 3 1 19 1 1 1 1 2 2 3 1 1 8 25 4 5 2 3 1 26 1 4 1 ...

```

```

FingerprintsVector;TopologicalAtomTorsions:AtomicInvariantsAtomTypes;3
3;NumericalValues;IDsAndValuesString;C.X1.BO1.H3-C.X3.BO3.H1-C.X3.BO4-
C.X3.BO4 C.X1.BO1.H3-C.X3.BO3.H1-C.X3.BO4-N.X3.BO3 C.X2.BO2.H2-C.X2.BO
2.H2-C.X3.BO3.H1-C.X2.BO2.H2 C.X2.BO2.H2-C.X2.BO2.H2-C.X3.BO3.H1-O...
2 2 1 1 2 2 1 1 3 4 4 8 4 2 2 6 2 2 1 2 1 1 2 1 2 6 2 4 2 1 3 1

```

```

FingerprintsVector;TopologicalAtomTorsions:EStateAtomTypes;36;Numerica
lValues;IDsAndValuesString;aaCH-aaCH-aaCH-aaCH aaCH-aaCH-aaCH-aasC aac
H-aaCH-aasC-aaCH aach-aaCH-aasC-aasC aaCH-aaCH-aasC-sF aaCH-aaCH-aasC-
ssNH aaCH-aasC-aasC-aaCH-aaasC-aaasN aaCH-aasC-ssNH-dssc a...
4 4 8 4 2 2 6 2 2 2 4 3 2 1 3 3 2 2 2 1 2 1 1 1 1 2 1 1 1 1 1 2 1 1 2

```

```

FingerprintsVector;TopologicalAtomTriplets:AtomicInvariantsAtomTypes:M
inDistance1:MaxDistance10;3096;NumericalValues;IDsAndValuesString;C.X1
.BO1.H3-D1-C.X1.BO1.H3-D1-C.X3.BO3.H1-D2 C.X1.BO1.H3-D1-C.X2.BO2.H2-D1
0-C.X3.BO4-D9 C.X1.BO1.H3-D1-C.X2.BO2.H2-D3-N.X3.BO3-D4 C.X1.BO1.H3-D1
-C.X2.BO2.H2-D4-C.X2.BO2.H2-D5 C.X1.BO1.H3-D1-C.X2.BO2.H2-D6-C.X3....;
1 2 2 2 2 2 2 8 8 4 8 4 4 2 2 2 2 4 2 2 2 2 2 1 2 2 2 2 4 4 4 2 2
2 4 4 4 8 4 4 2 4 4 4 2 2 2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 8...

```

```

FingerprintsVector;TopologicalAtomTriplets:SYBYLAtomTypes:MinDistance1
:MaxDistance10;2332;NumericalValues;IDsAndValuesString;C.2-D1-C.2-D9-C
.3-D10 C.2-D1-C.2-D9-C.ar-D10 C.2-D1-C.3-D1-C.3-D2 C.2-D1-C.3-D10-C.3-
D9 C.2-D1-C.3-D2-C.3-D3 C.2-D1-C.3-D2-C.ar-D3 C.2-D1-C.3-D3-C.3-D4 C.2-
-D1-C.3-D3-N.ar-D4 C.2-D1-C.3-D3-O.3-D2 C.2-D1-C.3-D4-C.3-D5 C.2-D1-C.
3-D5-C.3-D6 C.2-D1-C.3-D5-O.3-D4 C.2-D1-C.3-D6-C.3-D7 C.2-D1-C.3-D7...

```

```

FingerprintsVector;TopologicalPharmacophoreAtomPairs:ArbitrarySize:Min
Distance1:MaxDistance10;54;NumericalValues;IDsAndValuesString;H-D1-H H
-D1-NI HBA-D1-NI HBD-D1-NI H-D2-H H-D2-HBA H-D2-HBD HBA-D2-HBA HBA-D2-

```

```
HBD H-D3-H H-D3-HBA H-D3-HBD H-D3-NI HBA-D3-NI HBD-D3-NI H-D4-H H-D4-H
BA H-D4-HBD HBA-D4-HBA HBA-D4-HBD HBD-D4-HBD H-D5-H H-D5-HBA H-D5-...;
18 1 2 1 22 12 8 1 2 18 6 3 1 1 1 22 13 6 5 7 2 28 9 5 1 1 1 36 16 10
3 4 1 37 10 8 1 35 10 9 3 3 1 28 7 7 4 18 16 12 5 1 2 1
```

```
FingerprintsVector;TopologicalPharmacophoreAtomPairs:FixedSize:MinDistance1:MaxDistance10;150;OrderedNumericalValues;ValuesString;18 0 0 1 0
0 0 2 0 0 1 0 0 0 0 22 12 8 0 0 1 2 0 0 0 0 0 0 0 0 18 6 3 1 0 0 0 1
0 0 1 0 0 0 0 22 13 6 0 0 5 7 0 0 2 0 0 0 0 0 28 9 5 1 0 0 0 1 0 0 1 0
0 0 0 36 16 10 0 0 3 4 0 0 1 0 0 0 0 0 37 10 8 0 0 0 0 1 0 0 0 0 0 0
0 35 10 9 0 0 3 3 0 0 1 0 0 0 0 0 28 7 7 4 0 0 0 0 0 0 0 0 0 0 18...
```

```
FingerprintsVector;TopologicalPharmacophoreAtomTriplets:ArbitrarySize:MinDistance1:MaxDistance10;696;NumericalValues;IDsAndValuesString;Ar1-Ar1-Ar1-Ar1-H1 Ar1-Ar1-HBA1 Ar1-Ar1-HBD1 Ar1-H1-H1 Ar1-H1-HBA1 Ar1-H1-HBD1 Ar1-HBA1-HBD1 H1-H1-H1 H1-H1-HBA1 H1-H1-HBD1 H1-HBA1-HBA1 H1-HBA1-HBD1 H1-HBA1-NI1 H1-HBD1-NI1 HBA1-HBA1-NI1 HBA1-HBD1-NI1 Ar1-...;
46 106 8 3 83 11 4 1 21 5 3 1 2 2 1 1 1 100 101 101 18 11 145 132 26 14 23
28 3 3 5 4 61 45 10 4 16 20 7 5 1 3 4 5 3 1 1 1 1 5 4 2 1 2 2 2 1 1 1
119 123 24 15 185 202 41 25 22 17 3 5 85 95 18 11 23 17 3 1 1 6 4 ...
```

```
FingerprintsVector;TopologicalPharmacophoreAtomTriplets:FixedSize:MinDistance1:MaxDistance10;2692;OrderedNumericalValues;ValuesString;46 106
8 3 0 0 83 11 4 0 0 0 1 0 0 0 0 0 0 0 21 5 3 0 0 1 2 2 0 0 1 0 0 0
0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 100 101 101 18 11 0 0 145 132 26
14 0 0 23 28 3 3 0 0 5 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 61 45 10 4 0
0 16 20 7 5 1 0 3 4 5 3 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 0 0 5 ...
```

OPTIONS

--alpha *number*

Value of alpha parameter for calculating *Tversky* similarity coefficient specified for -b, --BitVectorComparisonMode option. It corresponds to weights assigned for bits set to "1" in a pair of fingerprint bit-vectors during the calculation of similarity coefficient. Possible values: *0 to 1*. Default value: <0.5>.

--beta *number*

Value of beta parameter for calculating *WeightedTanimoto* and *WeightedTversky* similarity coefficients specified for -b, --BitVectorComparisonMode option. It is used to weight the contributions of bits set to "0" during the calculation of similarity coefficients. Possible values: *0 to 1*. Default value of <1> makes *WeightedTanimoto* and *WeightedTversky* equivalent to *Tanimoto* and *Tversky*.

-b, --BitVectorComparisonMode *TanimotoSimilarity | TverskySimilarity | ...*

Specify what similarity coefficient to use for calculating similarity between fingerprints bit-vector string data values in *ReferenceFingerprintsFile* and *DatabaseFingerprintsFile* during similarity search. Possible values: *TanimotoSimilarity | TverskySimilarity | ...* Default: *TanimotoSimilarity*

The current release supports the following similarity coefficients: *BaroniUrbaniSimilarity*, *BuserSimilarity*, *CosineSimilarity*, *DiceSimilarity*, *DennisSimilarity*, *ForbesSimilarity*, *FossumSimilarity*, *HamannSimilarity*, *JacardSimilarity*, *Kulczynski1Similarity*, *Kulczynski2Similarity*, *MatchingSimilarity*, *McConaugheySimilarity*, *OchiaiSimilarity*, *PearsonSimilarity*, *RogersTanimotoSimilarity*, *RussellRaoSimilarity*, *SimpsonSimilarity*, *SkoalSneath1Similarity*, *SkoalSneath2Similarity*, *SkoalSneath3Similarity*, *TanimotoSimilarity*, *TverskySimilarity*, *YuleSimilarity*, *WeightedTanimotoSimilarity*, *WeightedTverskySimilarity*. These similarity coefficients are described below.

For two fingerprint bit-vectors A and B of same size, let:

```
Na = Number of bits set to "1" in A
Nb = Number of bits set to "1" in B
Nc = Number of bits set to "1" in both A and B
Nd = Number of bits set to "0" in both A and B
```

```
Nt = Number of bits set to "1" or "0" in A or B (Size of A or B)
Nt = Na + Nb - Nc + Nd
```

```
Na - Nc = Number of bits set to "1" in A but not in B
Nb - Nc = Number of bits set to "1" in B but not in A
```

Then, various similarity coefficients [Ref. 40 - 42] for a pair of bit-vectors A and B are defined as

follows: *BaroniUrbaniSimilarity*: $(\text{SQRT}(\text{Nc} * \text{Nd}) + \text{Nc}) / (\text{SQRT}(\text{Nc} * \text{Nd}) + \text{Nc} + (\text{Na} - \text{Nc}) + (\text{Nb} - \text{Nc}))$ (same as Buser)

BuserSimilarity: $(\text{SQRT}(\text{Nc} * \text{Nd}) + \text{Nc}) / (\text{SQRT}(\text{Nc} * \text{Nd}) + \text{Nc} + (\text{Na} - \text{Nc}) + (\text{Nb} - \text{Nc}))$ (same as BaroniUrbani)

CosineSimilarity: $\text{Nc} / \text{SQRT}(\text{Na} * \text{Nb})$ (same as Ochiai)

DiceSimilarity: $(2 * \text{Nc}) / (\text{Na} + \text{Nb})$

DennisSimilarity: $(\text{Nc} * \text{Nd} - ((\text{Na} - \text{Nc}) * (\text{Nb} - \text{Nc}))) / \text{SQRT}(\text{Nt} * \text{Na} * \text{Nb})$

ForbesSimilarity: $(\text{Nt} * \text{Nc}) / (\text{Na} * \text{Nb})$

FossumSimilarity: $(\text{Nt} * ((\text{Nc} - 1/2) ^ 2)) / (\text{Na} * \text{Nb})$

HamannSimilarity: $((\text{Nc} + \text{Nd}) - (\text{Na} - \text{Nc}) - (\text{Nb} - \text{Nc})) / \text{Nt}$

JaccardSimilarity: $\text{Nc} / ((\text{Na} - \text{Nc}) + (\text{Nb} - \text{Nc}) + \text{Nc}) = \text{Nc} / (\text{Na} + \text{Nb} - \text{Nc})$ (same as Tanimoto)

Kulczynski1Similarity: $\text{Nc} / ((\text{Na} - \text{Nc}) + (\text{Nb} - \text{Nc})) = \text{Nc} / (\text{Na} + \text{Nb} - 2\text{Nc})$

Kulczynski2Similarity: $((\text{Nc} / 2) * (2 * \text{Nc} + (\text{Na} - \text{Nc}) + (\text{Nb} - \text{Nc}))) / ((\text{Nc} + (\text{Na} - \text{Nc})) * (\text{Nc} + (\text{Nb} - \text{Nc}))) = 0.5 * (\text{Nc} / \text{Na} + \text{Nc} / \text{Nb})$

MatchingSimilarity: $(\text{Nc} + \text{Nd}) / \text{Nt}$

McConaughaySimilarity: $(\text{Nc} ^ 2 - (\text{Na} - \text{Nc}) * (\text{Nb} - \text{Nc})) / (\text{Na} * \text{Nb})$

OchiaiSimilarity: $\text{Nc} / \text{SQRT}(\text{Na} * \text{Nb})$ (same as Cosine)

PearsonSimilarity: $((\text{Nc} * \text{Nd}) - ((\text{Na} - \text{Nc}) * (\text{Nb} - \text{Nc}))) / \text{SQRT}(\text{Na} * \text{Nb} * (\text{Na} - \text{Nc} + \text{Nd}) * (\text{Nb} - \text{Nc} + \text{Nd}))$

RogersTanimotoSimilarity: $(\text{Nc} + \text{Nd}) / ((\text{Na} - \text{Nc}) + (\text{Nb} - \text{Nc}) + \text{Nt}) = (\text{Nc} + \text{Nd}) / (\text{Na} + \text{Nb} - 2\text{Nc} + \text{Nt})$

RussellRaoSimilarity: Nc / Nt

SimpsonSimilarity: $\text{Nc} / \text{MIN}(\text{Na}, \text{Nb})$

SkoalSneath1Similarity: $\text{Nc} / (\text{Nc} + 2 * (\text{Na} - \text{Nc}) + 2 * (\text{Nb} - \text{Nc})) = \text{Nc} / (2 * \text{Na} + 2 * \text{Nb} - 3 * \text{Nc})$

SkoalSneath2Similarity: $(2 * \text{Nc} + 2 * \text{Nd}) / (\text{Nc} + \text{Nd} + \text{Nt})$

SkoalSneath3Similarity: $(\text{Nc} + \text{Nd}) / ((\text{Na} - \text{Nc}) + (\text{Nb} - \text{Nc})) = (\text{Nc} + \text{Nd}) / (\text{Na} + \text{Nb} - 2 * \text{Nc})$

TanimotoSimilarity: $\text{Nc} / ((\text{Na} - \text{Nc}) + (\text{Nb} - \text{Nc}) + \text{Nc}) = \text{Nc} / (\text{Na} + \text{Nb} - \text{Nc})$ (same as Jaccard)

TverskySimilarity: $\text{Nc} / (\alpha * (\text{Na} - \text{Nc}) + (1 - \alpha) * (\text{Nb} - \text{Nc}) + \text{Nc}) = \text{Nc} / (\alpha * (\text{Na} - \text{Nb}) + \text{Nb})$

YuleSimilarity: $((\text{Nc} * \text{Nd}) - ((\text{Na} - \text{Nc}) * (\text{Nb} - \text{Nc}))) / ((\text{Nc} * \text{Nd}) + ((\text{Na} - \text{Nc}) * (\text{Nb} - \text{Nc})))$

Values of Tanimoto/Jaccard and Tversky coefficients are dependent on only those bit which are set to "1" in both A and B. In order to take into account all bit positions, modified versions of Tanimoto [Ref. 42] and Tversky [Ref. 43] have been developed.

Let:

```
Na' = Number of bits set to "0" in A
Nb' = Number of bits set to "0" in B
Nc' = Number of bits set to "0" in both A and B
```

Tanimoto': $\text{Nc}' / ((\text{Na}' - \text{Nc}') + (\text{Nb}' - \text{Nc}') + \text{Nc}') = \text{Nc}' / (\text{Na}' + \text{Nb}' - \text{Nc}')$

Tversky': $\text{Nc}' / (\alpha * (\text{Na}' - \text{Nc}') + (1 - \alpha) * (\text{Nb}' - \text{Nc}') + \text{Nc}') = \text{Nc}' / (\alpha * (\text{Na}' - \text{Nb}') + \text{Nb}')$

Then:

WeightedTanimotoSimilarity = beta * Tanimoto + (1 - beta) * Tanimoto'

WeightedTverskySimilarity = beta * Tversky + (1 - beta) * Tversky'

--DatabaseColMode *ColNum* | *ColLabel*

Specify how columns are identified in database fingerprints *TextFile*: using column number or column label. Possible values: *ColNum* or *ColLabel*. Default value: *ColNum*.

--DatabaseCompoundID *DCol* *col number* | *col name*

This value is --DatabaseColMode mode specific. It specifies column to use for retrieving compound ID from database fingerprints *TextFile* during similarity and dissimilarity search for output SD and CSV/TSV text files. Possible values: *col number* or *col label*. Default value: *first column containing the word compoundID in its column label or sequentially generated IDs*.

This is only used for *CompoundID* value of --DatabaseDataColsMode option.

--DatabaseCompoundIDPrefix *text*

Specify compound ID prefix to use during sequential generation of compound IDs for database fingerprints *SDFFile* and *TextFile*. Default value: *Cmpd*. The default value generates compound IDs which look like Cmpd<Number>.

For database fingerprints *SDFFile*, this value is only used during *LabelPrefix* | *MolNameOrLabelPrefix* values of --DatabaseCompoundID DMode option; otherwise, it's ignored.

Examples for *LabelPrefix* or *MolNameOrLabelPrefix* value of --DatabaseCompoundID DMode:

Compound

The values specified above generates compound IDs which correspond to Compound<Number> instead of default value of Cmpd<Number>.

--DatabaseCompoundIDField *DataFieldName*

Specify database fingerprints *SDFFile* datafield label for generating compound IDs. This value is only used during *DataField* value of --DatabaseCompoundID DMode option.

Examples for *DataField* value of --DatabaseCompoundID DMode:

MolID
ExtReg

--DatabaseCompoundIDMode *DataField* | *MolName* | *LabelPrefix* | *MolNameOrLabelPrefix*

Specify how to generate compound IDs from database fingerprints *SDFFile* during similarity and dissimilarity search for output SD and CSV/TSV text files: use a *SDFFile* datafield value; use molname line from *SDFFile*; generate a sequential ID with specific prefix; use combination of both MolName and LabelPrefix with usage of LabelPrefix values for empty molname lines.

Possible values: *DataField* | *MolName* | *LabelPrefix* | *MolNameOrLabelPrefix*. Default: *LabelPrefix*.

For *MolNameAndLabelPrefix* value of --DatabaseCompoundID DMode, molname line in *SDFFile* takes precedence over sequential compound IDs generated using *LabelPrefix* and only empty molname values are replaced with sequential compound IDs.

This is only used for *CompoundID* value of --DatabaseDataFieldsMode option.

--DatabaseDataCols "DataColNum1,DataColNum2,... " | DataColLabel1,DataCoLabel2,... "

This value is --DatabaseColMode mode specific. It is a comma delimited list of database fingerprints *TextFile* data column numbers or labels to extract and write to SD and CSV/TSV text files along with other information for *SD* | *text* | *both* values of --output option.

This is only used for *Specify* value of --DatabaseDataColsMode option.

Examples:

1,2,3
CompoundName,MolWt

--DatabaseDataColsMode All | Specify | CompoundID

Specify how data columns from database fingerprints *TextFile* are transferred to output SD and CSV/TSV text files along with other information for *SD* | *text* | *both* values of --output option: transfer all data columns; extract specified data columns; generate a compound ID database compound prefix. Possible values: *All* | *Specify* | *CompoundID*. Default value: *CompoundID*.

--DatabaseDataFields "FieldLabel1,FieldLabel2,... "

Comma delimited list of database fingerprints *SDFFile* data fields to extract and write to SD and CSV/TSV text files along with other information for *SD* | *text* | *both* values of --output option.

This is only used for *Specify* value of --DatabaseDataFieldsMode option.

Examples:

Extreg
MolID,CompoundName

--DatabaseDataFieldsMode All | Common | Specify | CompoundID

Specify how data fields from database fingerprints *SDFFile* are transferred to output SD and CSV/TSV text files along with other information for *SD* | *text* | *both* values of --output option: transfer all SD data field; transfer SD data files common to all compounds; extract specified data fields; generate a compound ID using molname line, a compound prefix, or a combination of both. Possible values: *All* | *Common* | *specify* | *CompoundID*. Default value: *CompoundID*.

--DatabaseFingerprintsCol col number / col name

This value is --DatabaseColMode specific. It specifies fingerprints column to use during similarity and dissimilarity search for database fingerprints *TextFile*. Possible values: *col number or col label*. Default value: *first column containing the word Fingerprints in its column label*.

--DatabaseFingerprintsField FieldLabel

Fingerprints field label to use during similarity and dissimilarity search for database fingerprints *SDFFile*. Default value: *first data field label containing the word Fingerprints in its label*

--DistanceCutoff number

Distance cutoff value to use during comparison of distance value between a pair of database and reference molecule calculated by distance comparison methods for fingerprints vector string data values. Possible values: *Any valid number*. Default value: *10*.

The comparison value between a pair of database and reference molecule must meet the cutoff criterion as shown below:

SearchMode	CutoffCriterion	ComparisonValues
Similarity	<=	Lower value implies high similarity
Dissimilarity	>=	Higher value implies high dissimilarity

This option is only used during distance coefficients values of -v, --VectorComparisonMode option.

This option is ignored during *No* value of --GroupFusionApplyCutoff for *MultipleReferences -m, --mode*.

-d, --detail InfoLevel

Level of information to print about lines being ignored. Default: *1*. Possible values: *1, 2 or 3*.

-f, --fast

In this mode, fingerprints columns specified using --FingerprintsCol for reference and database fingerprints *TextFile(s)*, and --FingerprintsField for reference and database fingerprints *SDFFile(s)* are assumed to contain valid fingerprints data and no checking is performed before performing similarity and dissimilarity search. By default, fingerprints data is validated before computing pairwise similarity and distance coefficients.

--FingerprintsMode AutoDetect | FingerprintsBitVectorString | FingerprintsVectorString

Format of fingerprint strings data in reference and database fingerprints *SD, FP, or Text (CSV/TSV)* files: automatically detect format of fingerprints string created by MayaChemTools fingerprints generation scripts or explicitly specify its format. Possible values: *AutoDetect | FingerprintsBitVectorString | FingerprintsVectorString*. Default value: *AutoDetect*.

-g, --GroupFusionRule Max, Min, Mean, Median, Sum, Euclidean

Specify what group fusion [Ref 94-97, Ref 100, Ref 105] rule to use for calculating similarity of a database molecule against a set of reference molecules during *MultipleReferences* value of similarity search -m, --mode. Possible values: *Max, Min, Mean, Median, Sum, Euclidean*. Default value: *Max*. *Mean* value corresponds to average or arithmetic mean. The group fusion rule is also referred to as data fusion of consensus scoring in the literature.

For a reference molecules set and a database molecule, let:

```
N = Number of reference molecules in a set
i = ith reference reference molecule in a set
n = Nth reference reference molecule in a set
d = dth database molecule

Crd = Fingerprints comparison value between rth reference and dth database
      molecule - similarity/dissimilarity comparison using similarity or
      distance coefficient
```

Then, various group fusion rules to calculate fused similarity between a database molecule and reference molecules set are defined as follows:

Max: MAX (C1d, C2d, ..., Cid, ..., Cnd)

Min: MIN (C1d, C2d, ..., Cid, ..., Cnd)

Mean: SUM (C1d, C2d, ..., Cid, ..., Cnd) / N

Median: MEDIAN (C1d, C2d, ..., Cid, ..., Cnd)

Sum: SUM (C1d, C2d, ..., Cid, ..., Cnd)

Euclidean: SQRT(SUM(C1d ** 2, C2d ** 2, ..., Cid ** 2, ..., Cnd *** 2))

The fingerprints bit-vector or vector string of each reference molecule in a set is compared with a database molecule using a similarity or distance coefficient specified via -b,

--BitVectorComparisonMode or -v, --VectorComparisonMode. The reference molecules whose comparison values with a database molecule fall outside specified --SimilarityCutoff or

--DistanceCutoff are ignored during Yes value of --GroupFusionApplyCutoff. The specified -g, --GroupFusionRule is applied to -k, --kNN reference molecules to calculate final fused similarity value between a database molecule and reference molecules set.

During dissimilarity search or usage of distance comparison coefficient in similarity search, the meaning of fingerprints comparison value is automatically reversed as shown below:

SearchMode	ComparisonCoefficient	ComparisonValues
Similarity	SimilarityCoefficient	Higher value implies high similarity
Similarity	DistanceCoefficient	Lower value implies high similarity
Dissimilarity	SimilarityCoefficient	Lower value implies high dissimilarity
Dissimilarity	DistanceCoefficient	Higher value implies high dissimilarity

Consequently, *Max* implies highest and lowest comparison value for usage of similarity and distance coefficient respectively during similarity search. And it corresponds to lowest and highest comparison value for usage of similarity and distance coefficient respectively during dissimilarity search. During *Min* fusion rule, the highest and lowest comparison values are appropriately reversed.

--GroupFusionApplyCutoff Yes / No

Specify whether to apply --SimilarityCutoff or --DistanceCutoff values during application of -g, --GroupFusionRule to reference molecules set. Possible values: Yes or No. Default value: Yes.

During Yes value of --GroupFusionApplyCutoff, the reference molecules whose comparison values with a database molecule fall outside specified --SimilarityCutoff or --DistanceCutoff are not used to calculate final fused similarity value between a database molecule and reference molecules set.

-h, --help

Print this help message.

--InDelim comma / semicolon

Input delimiter for reference and database fingerprints CSV *TextFile(s)*. Possible values: *comma* or *semicolon*. Default value: *comma*. For TSV files, this option is ignored and *tab* is used as a delimiter.

-k, --kNN all / number

Number of k-nearest neighbors (k-NN) reference molecules to use during -g, --GroupFusionRule for calculating similarity of a database molecule against a set of reference molecules. Possible values: *all* / *positive integers*. Default: *all*.

After ranking similarity values between a database molecule and reference molecules during *MultipleReferences* value of similarity search -m, --mode option, a top -k, --KNN reference molecule are selected and used during -g, --GroupFusionRule.

This option is -s, --SearchMode dependent: It corresponds to dissimilar molecules during *DissimilaritySearch* value of -s, --SearchMode option.

-m, --mode IndividualReference / MultipleReferences

Specify how to treat reference molecules in *ReferenceFingerprintsFile* during similarity search: Treat each reference molecule individually during similarity search or perform similarity search by treating multiple reference molecules as a set. Possible values: *IndividualReference* / *MultipleReferences*. Default value: *MultipleReferences*.

During *IndividualReference* value of -m, --Mode for similarity search, fingerprints bit-vector or vector string of each reference molecule is compared with database molecules using specified similarity or distance coefficients to identify most similar molecules for each reference molecule. Based on value of --SimilarCountMode, upto --n, NumOfSimilarMolecules or -p, --PercentSimilarMolecules at specified <--SimilarityCutoff> or --DistanceCutoff are identified for each reference molecule.

During *MultipleReferences* value -m, --mode for similarity search, all reference molecules are considered as a set and -g, --GroupFusionRule is used to calculate similarity of a database molecule against reference molecules set either using all reference molecules or number of k-nearest neighbors (k-NN)

to a database molecule specified using -k, --kNN. The fingerprints bit-vector or vector string of each reference molecule in a set is compared with a database molecule using a similarity or distance coefficient specified via -b, --BitVectorComparisonMode or -v, --VectorComparisonMode. The reference molecules whose comparison values with a database molecule fall outside specified --SimilarityCutoff or --DistanceCutoff are ignored. The specified -g, --GroupFusionRule is applied to rest of -k, --kNN reference molecules to calculate final similarity value between a database molecule and reference molecules set.

The meaning of similarity and distance is automatically reversed during *DissimilaritySearch* value of -s, --SearchMode along with appropriate handling of --SimilarityCutoff or --DistanceCutoff values.

-n, --NumOfSimilarMolecules *number*

Maximum number of most similar database molecules to find for each reference molecule or set of reference molecules based on *IndividualReference* or *MultipleReferences* value of similarity search -m, --mode option. Default: 10. Valid values: positive integers.

This option is ignored during *PercentSimilar* value of --SimilarCountMode option.

This option is -s, --SearchMode dependent: It corresponds to dissimilar molecules during *DissimilaritySearch* value of -s, --SearchMode option.

--OutDelim *comma | tab | semicolon*

Delimiter for output CSV/TSV text file. Possible values: *comma*, *tab*, or *semicolon*. Default value: *comma*.

--output *SD | text | both*

Type of output files to generate. Possible values: *SD*, *text*, or *both*. Default value: *text*.

-o, --overwrite

Overwrite existing files

-p, --PercentSimilarMolecules *number*

Maximum percent of mosy similar database molecules to find for each reference molecule or set of reference molecules based on *IndividualReference* or *MultipleReferences* value of similarity search -m, --mode option. Default: 1 percent of database molecules. Valid values: non-zero values in between 0 to 100.

This option is ignored during *NumOfSimilar* value of --SimilarCountMode option.

During *PercentSimilar* value of --SimilarCountMode option, the number of molecules in *DatabaseFingerprintsFile* is counted and number of similar molecules correspond to --PercentSimilarMolecules of the total number of database molecules.

This option is -s, --SearchMode dependent: It corresponds to dissimilar molecules during *DissimilaritySearch* value of -s, --SearchMode option.

--precision *number*

Precision of calculated similarity values for comparison and generating output files. Default: up to 2 decimal places. Valid values: positive integers.

-q, --quote *Yes / No*

Put quote around column values in output CSV/TSV text file. Possible values: *Yes* or *No*. Default value: *Yes*.

--ReferenceColMode *ColNum | ColLabel*

Specify how columns are identified in reference fingerprints *TextFile*: using column number or column label. Possible values: *ColNum* or *ColLabel*. Default value: *ColNum*.

--ReferenceCompoundIDCol *col number | col name*

This value is --ReferenceColMode mode specific. It specifies column to use for retrieving compound ID from reference fingerprints *TextFile* during similarity and dissimilarity search for output SD and CSV/TSV text files. Possible values: *col number* or *col label*. Default value: *first column containing the word compoundID in its column label or sequentially generated IDs*.

--ReferenceCompoundIDPrefix *text*

Specify compound ID prefix to use during sequential generation of compound IDs for reference fingerprints *SDFile* and *TextFile*. Default value: *Cmpd*. The default value generates compound IDs which looks like *Cmpd<Number>*.

For reference fingerprints *SDFile*, this value is only used during *LabelPrefix | MolNameOrLabelPrefix* values of --ReferenceCompoundIDMode option; otherwise, it's ignored.

Examples for *LabelPrefix* or *MolNameOrLabelPrefix* value of --DatabaseCompoundIDMode:

Compound

The values specified above generates compound IDs which correspond to Compound<Number> instead of default value of Cmpd<Number>.

--ReferenceCompoundIDField *DataFieldName*

Specify reference fingerprints *SDFFile* datafield label for generating compound IDs. This value is only used during *DataField* value of --ReferenceCompoundIDMode option.

Examples for *DataField* value of --ReferenceCompoundIDMode:

MolID
ExtReg

--ReferenceCompoundIDMode *DataField | MolName | LabelPrefix | MolNameOrLabelPrefix*

Specify how to generate compound IDs from reference fingerprints *SDFFile* during similarity and dissimilarity search for output SD and CSV/TSV text files: use a *SDFFile* datafield value; use molname line from *SDFFile*; generate a sequential ID with specific prefix; use combination of both MolName and LabelPrefix with usage of LabelPrefix values for empty molname lines.

Possible values: *DataField | MolName | LabelPrefix | MolNameOrLabelPrefix*. Default: *LabelPrefix*.

For *MolNameAndLabelPrefix* value of --ReferenceCompoundIDMode, molname line in *SDFFile*s takes precedence over sequential compound IDs generated using *LabelPrefix* and only empty molname values are replaced with sequential compound IDs.

--ReferenceFingerprintsCol *col number | col name*

This value is --ReferenceColMode specific. It specifies fingerprints column to use during similarity and dissimilarity search for reference fingerprints *TextFile*. Possible values: *col number or col label*. Default value: *first column containing the word Fingerprints in its column label*.

--ReferenceFingerprintsField *FieldLabel*

Fingerprints field label to use during similarity and dissimilarity search for reference fingerprints *SDFFile*. Default value: *first data field label containing the word Fingerprints in its label*

-r, --root *RootName*

New file name is generated using the root: <Root>.<Ext>. Default for new file name: <ReferenceFileName>SimilaritySearching.<Ext>. The output file type determines <Ext> value. The sdf, csv, and tsv <Ext> values are used for SD, comma/semicolon, and tab delimited text files respectively.

-s, --SearchMode *SimilaritySearch | DissimilaritySearch*

Specify how to find molecules from database molecules for individual reference molecules or set of reference molecules: Find similar molecules or dissimilar molecules from database molecules. Possible values: *SimilaritySearch | DissimilaritySearch*. Default value: *SimilaritySearch*.

During *DissimilaritySearch* value of -s, --SearchMode option, the meaning of the following options is switched and they correspond to dissimilar molecules instead of similar molecules:

--SimilarCountMode, -n, --NumOfSimilarMolecules, --PercentSimilarMolecules, -k, --kNN.

--SimilarCountMode *NumOfSimilar | PercentSimilar*

Specify method used to count similar molecules found from database molecules for individual reference molecules or set of reference molecules: Find number of similar molecules or percent of similar molecules from database molecules. Possible values: *NumOfSimilar | PercentSimilar*. Default value: *NumOfSimilar*.

The values for number of similar molecules and percent similar molecules are specified using options -n, NumOfSimilarMolecule and --PercentSimilarMolecules.

This option is -s, --SearchMode dependent: It corresponds to dissimilar molecules during *DissimilaritySearch* value of -s, --SearchMode option.

--SimilarityCutoff *number*

Similarity cutoff value to use during comparison of similarity value between a pair of database and reference molecules calculated by similarity comparison methods for fingerprints bit-vector vector strings data values. Possible values: *Any valid number*. Default value: *0.75*.

The comparison value between a pair of database and reference molecule must meet the cutoff criterion as shown below:

SearchMode	CutoffCriterion	ComparisonValues
Similarity	>=	Higher value implies high similarity
Dissimilarity	<=	Lower value implies high dissimilarity

This option is ignored during *No* value of `--GroupFusionApplyCutoff` for `MultipleReferences -m, --mode`.

This option is `-s, --SearchMode` dependent: It corresponds to dissimilar molecules during `DissimilaritySearch` value of `-s, --SearchMode` option.

`-v, --VectorComparisonMode SupportedSimilarityName | SupportedDistanceName`

Specify what similarity or distance coefficient to use for calculating similarity between fingerprint vector strings data values in `ReferenceFingerprintsFile` and `DatabaseFingerprintsFile` during similarity search.

Possible values: `TanimotoSimilarity` | ... | `ManhattanDistance` | Default value: `TanimotoSimilarity`.

The value of `-v, --VectorComparisonMode`, in conjunction with `--VectorComparisonFormulism`, decides which type of similarity and distance coefficient formulism gets used.

The current releases supports the following similarity and distance coefficients: `CosineSimilarity`, `CzekanowskiSimilarity`, `DiceSimilarity`, `OchiaiSimilarity`, `JaccardSimilarity`, `SorensonSimilarity`, `TanimotoSimilarity`, `CityBlockDistance`, `EuclideanDistance`, `HammingDistance`, `ManhattanDistance`, `SoergelDistance`. These similarity and distance coefficients are described below.

`FingerprintsVector.pm` module, used to calculate similarity and distance coefficients, provides support to perform comparison between vectors containing three different types of values:

Type I: OrderedNumericalValues

- . Size of two vectors are same
- . Vectors contain real values in a specific order. For example: MACCS keys count, Topological pharmacophore atom pairs and so on.

Type II: UnorderedNumericalValues

- . Size of two vectors might not be same
- . Vectors contain unordered real value identified by value IDs. For example: Topological atom pairs, Topological atom torsions and so on

Type III: AlphaNumericalValues

- . Size of two vectors might not be same
- . Vectors contain unordered alphanumerical values. For example: Extended connectivity fingerprints, atom neighborhood fingerprints.

Before performing similarity or distance calculations between vectors containing `UnorderedNumericalValues` or `AlphaNumericalValues`, the vectors are transformed into vectors containing unique `OrderedNumericalValues` using value IDs for `UnorderedNumericalValues` and values itself for `AlphaNumericalValues`.

Three forms of similarity and distance calculation between two vectors, specified using `--VectorComparisonFormulism` option, are supported: `AlgebraicForm`, `BinaryForm` or `SetTheoreticForm`.

For `BinaryForm`, the ordered list of processed final vector values containing the value or count of each unique value type is simply converted into a binary vector containing 1s and 0s corresponding to presence or absence of values before calculating similarity or distance between two vectors.

For two fingerprint vectors A and B of same size containing `OrderedNumericalValues`, let:

`N = Number values in A or B`

`Xa = Values of vector A`
`Xb = Values of vector B`

`Xai = Value of ith element in A`
`Xbi = Value of ith element in B`

`SUM = Sum of i over N values`

For `SetTheoreticForm` of calculation between two vectors, let:

`SetIntersectionXaXb = SUM (MIN (Xai, Xbi))`
`SetDifferenceXaXb = SUM (Xai) + SUM (Xbi) - SUM (MIN (Xai, Xbi))`

For `BinaryForm` of calculation between two vectors, let:

`Na = Number of bits set to "1" in A = SUM (Xai)`

```

Nb = Number of bits set to "1" in B = SUM ( Xbi )
Nc = Number of bits set to "1" in both A and B = SUM ( Xai * Xbi )
Nd = Number of bits set to "0" in both A and B
      = SUM ( 1 - Xai - Xbi + Xai * Xbi )

N = Number of bits set to "1" or "0" in A or B = Size of A or B = Na + Nb - Nc + Nd

```

Additionally, for BinaryForm various values also correspond to:

```

Na = | Xa |
Nb = | Xb |
Nc = | SetIntersectionXaXb |
Nd = N - | SetDifferenceXaXb |

| SetDifferenceXaXb | = N - Nd = Na + Nb - Nc + Nd - Nd = Na + Nb - Nc
                     = | Xa | + | Xb | - | SetIntersectionXaXb |

```

Various similarity and distance coefficients [Ref 40, Ref 62, Ref 64] for a pair of vectors A and B in *AlgebraicForm*, *BinaryForm* and *SetTheoreticForm* are defined as follows:

CityBlockDistance: (same as HammingDistance and ManhattanDistance)

AlgebraicForm: SUM (ABS (Xai - Xbi))

BinaryForm: (Na - Nc) + (Nb - Nc) = Na + Nb - 2 * Nc

SetTheoreticForm: | SetDifferenceXaXb | - | SetIntersectionXaXb | = SUM (Xai) + SUM (Xbi) - 2 * (SUM (MIN (Xai, Xbi)))

CosineSimilarity: (same as OchiaiSimilarityCoefficient)

AlgebraicForm: SUM (Xai * Xbi) / SQRT (SUM (Xai ** 2) * SUM (Xbi ** 2))

BinaryForm: Nc / SQRT (Na * Nb)

SetTheoreticForm: | SetIntersectionXaXb | / SQRT (|Xa| * |Xb|) = SUM (MIN (Xai, Xbi)) / SQRT (SUM (Xai) * SUM (Xbi))

CzekanowskiSimilarity: (same as DiceSimilarity and SorensonSimilarity)

AlgebraicForm: (2 * (SUM (Xai * Xbi))) / (SUM (Xai ** 2) + SUM (Xbi ** 2))

BinaryForm: 2 * Nc / (Na + Nb)

SetTheoreticForm: 2 * | SetIntersectionXaXb | / (|Xa| + |Xb|) = 2 * (SUM (MIN (Xai, Xbi))) / (SUM (Xai) + SUM (Xbi))

DiceSimilarity: (same as CzekanowskiSimilarity and SorensonSimilarity)

AlgebraicForm: (2 * (SUM (Xai * Xbi))) / (SUM (Xai ** 2) + SUM (Xbi ** 2))

BinaryForm: 2 * Nc / (Na + Nb)

SetTheoreticForm: 2 * | SetIntersectionXaXb | / (|Xa| + |Xb|) = 2 * (SUM (MIN (Xai, Xbi))) / (SUM (Xai) + SUM (Xbi))

EuclideanDistance:

AlgebraicForm: SQRT (SUM (((Xai - Xbi) ** 2)))

BinaryForm: SQRT ((Na - Nc) + (Nb - Nc)) = SQRT (Na + Nb - 2 * Nc)

SetTheoreticForm: SQRT (| SetDifferenceXaXb | - | SetIntersectionXaXb |) = SQRT (SUM (Xai) + SUM (Xbi) - 2 * (SUM (MIN (Xai, Xbi))))

HammingDistance: (same as CityBlockDistance and ManhattanDistance)

AlgebraicForm: SUM (ABS (Xai - Xbi))

BinaryForm: (Na - Nc) + (Nb - Nc) = Na + Nb - 2 * Nc

SetTheoreticForm: | SetDifferenceXaXb | - | SetIntersectionXaXb | = SUM (Xai) + SUM (Xbi) - 2 * (SUM (MIN (Xai, Xbi)))

JaccardSimilarity: (same as TanimotoSimilarity)

AlgebraicForm: SUM (Xai * Xbi) / (SUM (Xai ** 2) + SUM (Xbi ** 2) - SUM (Xai * Xbi))

BinaryForm: Nc / ((Na - Nc) + (Nb - Nc) + Nc) = Nc / (Na + Nb - Nc)

SetTheoreticForm: | SetIntersectionXaXb | / | SetDifferenceXaXb | = SUM (MIN (Xai, Xbi)) / (SUM (Xai) + SUM (Xbi) - SUM (MIN (Xai, Xbi)))

ManhattanDistance: (same as CityBlockDistance and HammingDistance)

AlgebraicForm: SUM (ABS (Xai - Xbi))

BinaryForm: (Na - Nc) + (Nb - Nc) = Na + Nb - 2 * Nc

SetTheoreticForm: | SetDifferenceXaXb | - | SetIntersectionXaXb | = SUM (Xai) + SUM (Xbi) - 2 * (SUM (MIN (Xai, Xbi)))
OchiaiSimilarity: (same as CosineSimilarity)
AlgebraicForm: SUM (Xai * Xbi) / SQRT (SUM (Xai ** 2) * SUM (Xbi ** 2))
BinaryForm: Nc / SQRT (Na * Nb)
SetTheoreticForm: | SetIntersectionXaXb | / SQRT (|Xa| * |Xb|) = SUM (MIN (Xai, Xbi)) / SQRT (SUM (Xai) * SUM (Xbi))
SorensonSimilarity: (same as CzekanowskiSimilarity and DiceSimilarity)
AlgebraicForm: (2 * (SUM (Xai * Xbi))) / (SUM (Xai ** 2) + SUM (Xbi ** 2))
BinaryForm: 2 * Nc / (Na + Nb)
SetTheoreticForm: 2 * | SetIntersectionXaXb | / (|Xa| + |Xb|) = 2 * (SUM (MIN (Xai, Xbi))) / (SUM (Xai) + SUM (Xbi))
SoergelDistance:
AlgebraicForm: SUM (ABS (Xai - Xbi)) / SUM (MAX (Xai, Xbi))
BinaryForm: 1 - Nc / (Na + Nb - Nc) = (Na + Nb - 2 * Nc) / (Na + Nb - Nc)
SetTheoreticForm: (| SetDifferenceXaXb | - | SetIntersectionXaXb |) / | SetDifferenceXaXb | = (SUM (Xai) + SUM (Xbi) - 2 * (SUM (MIN (Xai, Xbi)))) / (SUM (Xai) + SUM (Xbi) - SUM (MIN (Xai, Xbi)))
TanimotoSimilarity: (same as JaccardSimilarity)
AlgebraicForm: SUM (Xai * Xbi) / (SUM (Xai ** 2) + SUM (Xbi ** 2) - SUM (Xai * Xbi))
BinaryForm: Nc / ((Na - Nc) + (Nb - Nc) + Nc) = Nc / (Na + Nb - Nc)
SetTheoreticForm: | SetIntersectionXaXb | / | SetDifferenceXaXb | = SUM (MIN (Xai, Xbi)) / (SUM (Xai) + SUM (Xbi) - SUM (MIN (Xai, Xbi)))

--VectorComparisonFormulism *AlgebraicForm* | *BinaryForm* | *SetTheoreticForm*
 Specify fingerprints vector comparison formulism to use for calculation similarity and distance coefficients during -v, --VectorComparisonMode. Possible values: *AlgebraicForm* | *BinaryForm* | *SetTheoreticForm*. Default value: *AlgebraicForm*.
 For fingerprint vector strings containing AlphaNumericalValues data values - ExtendedConnectivityFingerprints, Atom Neighborhoods Fingerprints and so on - all three formulism result in same value during similarity and distance calculations.

-w, --WorkingDir *DirName*
 Location of working directory. Default: current directory.

EXAMPLES

To perform similarity search using Tanimoto coefficient by treating all reference molecules as a set to find 10 most similar database molecules with application of Max group fusion rule and similarity cutoff to supported fingerprints strings data in SD fingerprints files present in a data fields with Fingerprint substring in their labels, and create a ReferenceFPHexSimilaritySearching.csv file containing sequentially generated database compound IDs with Cmpd prefix, type:

```
% SimilaritySearchingFingerprints.pl -o ReferenceSampleFPHex.sdf
DatabaseSampleFPHex.sdf
```

To perform similarity search using Tanimoto coefficient by treating all reference molecules as a set to find 10 most similar database molecules with application of Max group fusion rule and similarity cutoff to supported fingerprints strings data in FP fingerprints files, and create a SimilaritySearchResults.csv file containing database compound IDs retrieved from FP file, type:

```
% SimilaritySearchingFingerprints.pl -r SimilaritySearchResults -o
ReferenceSampleFPBin.fpf DatabaseSampleFPBin.fpf
```

To perform similarity search using Tanimoto coefficient by treating all reference molecules as a set to find 10 most similar database molecules with application of Max group fusion rule and similarity cutoff to supported fingerprints strings data in text fingerprints files present in a column names containing Fingerprint substring in their names, and create a ReferenceFPHexSimilaritySearching.csv file containing database compound IDs retrieved column name containing CompoundID substring or sequentially generated compound IDs, type:

```
% SimilaritySearchingFingerprints.pl -o ReferenceSampleFPCount.csv
```

DatabaseSampleFPCount.csv

To perform similarity search using Tanimoto coefficient by treating reference molecules as individual molecules to find 10 most similar database molecules for each reference molecule with application of similarity cutoff to supported fingerprints strings data in SD fingerprints files present in a data fields with Fingerprint substring in their labels, and create a ReferenceFPHexSimilaritySearching.csv file containing sequentially generated reference and database compound IDs with Cmpd prefix, type:

```
% SimilaritySearchingFingerprints.pl -mode IndividualReference -o
ReferenceSampleFPHex.sdf DatabaseSampleFPHex.sdf
```

To perform similarity search using Tanimoto coefficient by treating reference molecules as individual molecules to find 10 most similar database molecules for each reference molecule with application of similarity cutoff to supported fingerprints strings data in FP fingerprints files, and create a ReferenceFPHexSimilaritySearching.csv file containing references and database compound IDs retrieved from FP file, type:

```
% SimilaritySearchingFingerprints.pl -mode IndividualReference -o
ReferenceSampleFPHex.fpf DatabaseSampleFPHex.fpf
```

To perform similarity search using Tanimoto coefficient by treating reference molecules as individual molecules to find 10 most similar database molecules for each reference molecule with application of similarity cutoff to supported fingerprints strings data in text fingerprints files present in a column names containing Fingerprint substring in their names, and create a ReferenceFPHexSimilaritySearching.csv file containing reference and database compound IDs retrieved column name containing CompoundID substring or sequentially generated compound IDs, type:

```
% SimilaritySearchingFingerprints.pl -mode IndividualReference -o
ReferenceSampleFPHex.csv DatabaseSampleFPHex.csv
```

To perform dissimilarity search using Tanimoto coefficient by treating all reference molecules as a set to find 10 most dissimilar database molecules with application of Max group fusion rule and similarity cutoff to supported fingerprints strings data in SD fingerprints files present in a data fields with Fingerprint substring in their labels, and create a ReferenceFPHexSimilaritySearching.csv file containing sequentially generated database compound IDs with Cmpd prefix, type:

```
% SimilaritySearchingFingerprints.pl --mode MultipleReferences --SearchMode
DissimilaritySearch -o ReferenceSampleFPHex.sdf DatabaseSampleFPHex.sdf
```

To perform similarity search using CityBlock distance by treating reference molecules as individual molecules to find 10 most similar database molecules for each reference molecule with application of distance cutoff to supported vector fingerprints strings data in SD fingerprints files present in a data fields with Fingerprint substring in their labels, and create a ReferenceFPHexSimilaritySearching.csv file containing sequentially generated reference and database compound IDs with Cmpd prefix, type:

```
% SimilaritySearchingFingerprints.pl -mode IndividualReference
--VectorComparisonMode CityBlockDistance --VectorComparisonFormulism
AlgebraicForm --DistanceCutoff 10 -o
ReferenceSampleFPCount.sdf DatabaseSampleFPCount.sdf
```

To perform similarity search using Tanimoto coefficient by treating all reference molecules as a set to find 100 most similar database molecules with application of Mean group fusion rule to to top 10 reference molecules with in similarity cutoff of 0.75 to supported fingerprints strings data in FP fingerprints files, and create a ReferenceFPHexSimilaritySearching.csv file containing database compound IDs retrieved from FP file, type:

```
% SimilaritySearchingFingerprints.pl --mode MultipleReferences --SearchMode
SimilaritySearch --BitVectorComparisonMode TanimotoSimilarity
--GroupFusionRule Mean --GroupFusionApplyCutoff Yes --kNN 10
--SimilarityCutoff 0.75 --SimilarCountMode NumOfSimilar
--NumOfSimilarMolecules 100 -o
ReferenceSampleFPHex.fpf DatabaseSampleFPHex.fpf
```

To perform similarity search using Tanimoto coefficient by treating reference molecules as individual molecules to find 2 percent of most similar database molecules for each reference molecule with application of similarity cutoff of 0.85 to supported fingerprints strings data in text fingerprints files present in specific columns and create a ReferenceFPHexSimilaritySearching.csv file containing reference and database compoundIDs retrieved from specific columns, type:

```
% SimilaritySearchingFingerprints.pl --mode IndividualReference --SearchMode
SimilaritySearch --BitVectorComparisonMode TanimotoSimilarity
--ReferenceColMode ColLabel --ReferenceFingerprintsCol Fingerprints
--ReferenceCompoundIDCol CompoundID --DatabaseColMode Collabel
--DatabaseCompoundIDCol CompoundID --DatabaseFingerprintsCol
Fingerprints --SimilarityCutoff 0.85 --SimilarCountMode PercentSimilar
--PercentSimilarMolecules 2 -o
ReferenceSampleFPHex.csv DatabaseSampleFPHex.csv
```

To perform similarity search using Tanimoto coefficient by treating reference molecules as individual molecules to find top 50 most similar database molecules for each reference molecule with application of similarity cutoff of 0.85 to supported fingerprints strings data in SD fingerprints files present in specific data fields and create both ReferenceFPHexSimilaritySearching.csv and ReferenceFPHexSimilaritySearching.sdf files containing reference and database compoundIDs retrieved from specific data fields, type:

```
% SimilaritySearchingFingerprints.pl --mode IndividualReference --SearchMode
SimilaritySearch --BitVectorComparisonMode TanimotoSimilarity
--ReferenceFingerprintsField Fingerprints
--DatabaseFingerprintsField Fingerprints
--ReferenceCompoundIDMode DataField --ReferenceCompoundIDField CmpdID
--DatabaseCompoundIDMode DataField --DatabaseCompoundIDField CmpdID
--SimilarityCutoff 0.85 --SimilarCountMode NumOfSimilar
--NumOfSimilarMolecules 50 --output both -o
ReferenceSampleFPHex.sdf DatabaseSampleFPHex.sdf
```

To perform similarity search using Tanimoto coefficient by treating reference molecules as individual molecules to find 1 percent of most similar database molecules for each reference molecule with application of similarity cutoff to supported fingerprints strings data in SD fingerprints files present in specific data field labels, and create both ReferenceFPHexSimilaritySearching.csv ReferenceFPHexSimilaritySearching.sdf files containing reference and database compound IDs retrieved from specific data field labels along with other specific data for database molecules, type:

```
% SimilaritySearchingFingerprints.pl --mode IndividualReference --SearchMode
SimilaritySearch --BitVectorComparisonMode TanimotoSimilarity
--ReferenceFingerprintsField Fingerprints
--DatabaseFingerprintsField Fingerprints
--ReferenceCompoundIDMode DataField --ReferenceCompoundIDField CmpdID
--DatabaseCompoundIDMode DataField --DatabaseCompoundIDField CmpdID
--DatabaseDataFieldsMode Specify --DatabaseDataFields "TPSA, SLogP"
--SimilarityCutoff 0.75 --SimilarCountMode PercentSimilar
--PercentSimilarMolecules 1 --output both --OutDelim comma --quote Yes
--precision 3 -o ReferenceSampleFPHex.sdf DatabaseSampleFPHex.sdf
```

AUTHOR

Manish Sud <msud@san.rr.com>

SEE ALSO

[InfoFingerprintsFiles.pl](#), [SimilarityMatricesFingerprints.pl](#), [AtomNeighborhoodsFingerprints.pl](#), [ExtendedConnectivityFingerprints.pl](#), [MACCSKeysFingerprints.pl](#), [PathLengthFingerprints.pl](#), [TopologicalAtomPairsFingerprints.pl](#), [TopologicalAtomTorsionsFingerprints.pl](#), [TopologicalPharmacophoreAtomPairsFingerprints.pl](#), [TopologicalPharmacophoreAtomTripletsFingerprints.pl](#)

COPYRIGHT

Copyright (C) 2025 Manish Sud. All rights reserved.

This file is part of MayaChemTools.

MayaChemTools is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.